







Gate	X-A-Mean	HP	X-CV
All	622.76	0.71	
FCblue@2.0	950.91	0.71	
FCred	314.73	1.37	
FCviolet	117.04	2.52	




Gate	X-A-Mean	HP	X-CV
All	487.22	1.04	
FL1@2.0	488.00	1.04	




Gate	X-A-Mean	HP	X-CV
All	481.04	1.41	
FL2@2.0	481.81	1.41	




Gate	X-A-Mean	HP	X-CV
All	484.03	0.97	
FL3@2.0	484.80	0.97	




Gate	X-A-Mean	HP	X-CV
All	491.24	0.87	
FL4@2.0	490.39	0.87	




Gate	X-A-Mean	HP	X-CV
All	499.14	1.11	
FL5@2.5	498.30	1.11	




Gate	X-A-Mean	HP	X-CV
All	496.31	1.29	
FL6@3.0	497.92	1.29	




Gate	X-A-Mean	HP	X-CV
All	478.29	0.72	
FL7@3.0	479.83	0.72	



Gate	X-A-Mean	HP	X-CV
All	486.76	0.79	
FL8@3.0	488.33	0.79	



Gate	X-A-Mean	HP	X-CV
All	540.60	1.56	
FL9@4.0	546.22	1.56	



Gate	X-A-Mean	HP	X-CV
All	527.83	0.97	
FL10@4.0	533.32	0.97	