







Gate	X-A-Mean	HP	X-CV
All	608.81	0.53	
FCblue@2.0	960.56	0.53	
FCred	317.19	0.94	
FCviolet	117.43	1.78	




Gate	X-A-Mean	HP	X-CV
All	491.93	0.69	
FL1@2.0	492.32	0.69	




Gate	X-A-Mean	HP	X-CV
All	483.11	0.78	
FL2@2.0	483.53	0.78	




Gate	X-A-Mean	HP	X-CV
All	488.76	1.04	
FL3@2.0	489.13	1.04	




Gate	X-A-Mean	HP	X-CV
All	489.34	0.95	
FL4@2.0	488.93	0.95	




Gate	X-A-Mean	HP	X-CV
All	498.60	0.77	
FL5@2.5	498.19	0.77	




Gate	X-A-Mean	HP	X-CV
All	503.60	1.02	
FL6@3.0	504.47	1.02	




Gate	X-A-Mean	HP	X-CV
All	485.85	0.88	
FL7@3.0	486.68	0.88	



Gate	X-A-Mean	HP	X-CV
All	495.83	0.86	
FL8@3.0	496.69	0.86	



Gate	X-A-Mean	HP	X-CV
All	502.77	1.23	
FL9@4.0	514.20	1.23	



Gate	X-A-Mean	HP	X-CV
All	488.12	1.03	
FL10@4.0	499.20	1.03	