







Gate	X-A-Mean	HP	X-CV
All	608.28	1.44	
FCblue@2.0	968.95	0.83	
FCred	317.43	1.21	
FCviolet	117.60	1.44	




Gate	X-A-Mean	HP	X-CV
All	496.10	0.76	
FL1@2.0	497.26	0.76	




Gate	X-A-Mean	HP	X-CV
All	492.58	0.76	
FL2@2.0	493.77	0.76	




Gate	X-A-Mean	HP	X-CV
All	490.07	1.12	
FL3@2.0	491.25	1.12	




Gate	X-A-Mean	HP	X-CV
All	488.61	1.03	
FL4@2.0	488.97	1.03	




Gate	X-A-Mean	HP	X-CV
All	500.48	1.18	
FL5@2.5	500.87	1.18	




Gate	X-A-Mean	HP	X-CV
All	495.45	0.43	
FL6@3.0	500.06	0.43	




Gate	X-A-Mean	HP	X-CV
All	487.74	0.78	
FL7@3.0	492.28	0.78	



Gate	X-A-Mean	HP	X-CV
All	496.52	1.02	
FL8@3.0	501.14	1.02	



Gate	X-A-Mean	HP	X-CV
All	474.81	1.21	
FL9@4.0	487.31	1.21	



Gate	X-A-Mean	HP	X-CV
All	463.04	0.81	
FL10@4.0	475.13	0.81	