







Gate	X-A-Mean	HP	X-CV
All	610.57	1.78	
FCblue@2.0	972.88	0.48	
FCred	319.29	1.47	
FCviolet	118.53	1.78	




Gate	X-A-Mean	HP	X-CV
All	499.43	1.17	
FL1@2.0	499.58	1.17	




Gate	X-A-Mean	HP	X-CV
All	497.62	1.43	
FL2@2.0	497.95	1.43	




Gate	X-A-Mean	HP	X-CV
All	497.19	1.36	
FL3@2.0	497.33	1.36	




Gate	X-A-Mean	HP	X-CV
All	492.55	1.29	
FL4@2.0	491.89	1.29	




Gate	X-A-Mean	HP	X-CV
All	508.58	1.17	
FL5@2.5	507.93	1.17	




Gate	X-A-Mean	HP	X-CV
All	492.82	1.04	
FL6@3.0	493.69	1.04	




Gate	X-A-Mean	HP	X-CV
All	485.79	0.87	
FL7@3.0	486.64	0.87	



Gate	X-A-Mean	HP	X-CV
All	493.84	0.85	
FL8@3.0	494.71	0.85	



Gate	X-A-Mean	HP	X-CV
All	491.00	1.02	
FL9@4.0	492.79	1.02	



Gate	X-A-Mean	HP	X-CV
All	476.02	1.07	
FL10@4.0	477.75	1.07	