




Gate	X-A-Mean	HP	X-CV
All	456.52	2.00	
FCblue@2.0	717.89	0.71	
FCred	234.05	1.27	
FCviolet	84.29	2.00	




Gate	X-A-Mean	HP	X-CV
All	523.68	0.73	
FL1@2.0	523.68	0.73	




Gate	X-A-Mean	HP	X-CV
All	531.28	0.71	
FL2@2.0	531.28	0.71	




Gate	X-A-Mean	HP	X-CV
All	531.08	1.52	
FL3@2.0	531.08	1.52	




Gate	X-A-Mean	HP	X-CV
All	525.70	1.21	
FL4@2.0	525.70	1.21	




Gate	X-A-Mean	HP	X-CV
All	532.32	1.36	
FL5@2.5	532.32	1.36	




Gate	X-A-Mean	HP	X-CV
All	507.70	0.74	
FL6@3.0	510.64	0.74	




Gate	X-A-Mean	HP	X-CV
All	518.41	1.06	
FL7@3.0	521.41	1.06	



Gate	X-A-Mean	HP	X-CV
All	528.07	0.87	
FL8@3.0	531.13	0.87	



Gate	X-A-Mean	HP	X-CV
All	480.24	0.36	
FL9@4.0	487.66	0.36	



Gate	X-A-Mean	HP	X-CV
All	483.08	0.86	
FL10@4.0	490.54	0.86	