



Gate	X-AMean	HP	X-CV
All	513.77	0.91	
FL1@2.0	513.40	0.91	


Gate	X-AMean	HP	X-CV
All	518.35	0.90	
FL2@2.0	518.55	0.90	

Gate	X-AMean	HP	X-CV
All	416.14	2.05	
FCblue@2.0	700.06	0.67	
FCred	229.46	0.92	
FCviolet	81.88	2.05	






Gate	X-AMean	HP	X-CV
All	517.74	1.24	
FL3@2.0	517.86	1.24	

Gate	X-AMean	HP	X-CV
All	516.26	1.07	
FL4@2.0	515.97	1.07	





Gate	X-AMean	HP	X-CV
All	519.26	1.15	
FL5@2.5	519.38	1.15	



Gate	X-AMean	HP	X-CV
All	514.54	0.74	
FL6@3.0	518.45	0.74	

Gate	X-AMean	HP	X-CV
All	519.55	0.89	
FL7@3.0	523.53	0.89	

Gate	X-AMean	HP	X-CV
All	523.06	0.97	
FL8@3.0	527.07	0.97	



Gate	X-AMean	HP	X-CV
All	494.50	N/A	
FL9@4.0	518.00	1.38	

Gate	X-AMean	HP	X-CV
All	454.56	1.25	
FL10@4.0	476.06	1.25	