




Gate	X-A-Mean	HP	X-CV
All	420.17	2.02	
FCblue@2.0	711.77	0.36	
FCred	232.07	0.91	
FCviolet	83.28	2.02	




Gate	X-A-Mean	HP	X-CV
All	516.59	0.74	
FL1@2.0	515.91	0.74	




Gate	X-A-Mean	HP	X-CV
All	524.56	0.80	
FL2@2.0	524.69	0.80	




Gate	X-A-Mean	HP	X-CV
All	528.35	1.45	
FL3@2.0	528.39	1.45	




Gate	X-A-Mean	HP	X-CV
All	521.71	0.97	
FL4@2.0	520.85	0.97	




Gate	X-A-Mean	HP	X-CV
All	524.18	1.22	
FL5@2.5	524.23	1.22	




Gate	X-A-Mean	HP	X-CV
All	509.29	0.74	
FL6@3.0	512.02	0.74	




Gate	X-A-Mean	HP	X-CV
All	524.36	1.13	
FL7@3.0	527.18	1.13	



Gate	X-A-Mean	HP	X-CV
All	530.70	1.75	
FL8@3.0	533.55	1.75	



Gate	X-A-Mean	HP	X-CV
All	476.21	1.88	
FL9@4.0	491.48	1.88	



Gate	X-A-Mean	HP	X-CV
All	445.80	1.47	
FL10@4.0	460.85	1.47	