



Gate	X-A-Mean	HP	X-CV
All	489.35		0.78
FL1@2.0	490.05		0.78


Gate	X-A-Mean	HP	X-CV
All	490.48		0.86
FL2@2.0	491.19		0.86

Gate	X-A-Mean	HP	X-CV
All	471.76		0.37
FCblue@2.0	698.04		0.37
FCred	228.36		0.93
FCviolet	81.82		2.56






Gate	X-A-Mean	HP	X-CV
All	503.81		0.67
FL3@2.0	504.56		0.67

Gate	X-A-Mean	HP	X-CV
All	504.49		0.76
FL4@2.0	505.13		0.76





Gate	X-A-Mean	HP	X-CV
All	511.43		0.83
FL5@2.5	512.19		0.83



Gate	X-A-Mean	HP	X-CV
All	480.67		0.71
FL6@3.0	481.83		0.71

Gate	X-A-Mean	HP	X-CV
All	491.71		1.04
FL7@3.0	492.89		1.04

Gate	X-A-Mean	HP	X-CV
All	490.78		1.20
FL8@3.0	491.96		1.20



Gate	X-A-Mean	HP	X-CV
All	483.10		0.08
FL9@4.0	503.89		0.08

Gate	X-A-Mean	HP	X-CV
All	450.31		1.10
FL10@4.0	469.82		1.10