




Gate	X-A-Mean	HP	X-CV
All	432.15	0.42	
FCblue@2.0	711.68	0.42	
FCred	233.20	0.92	
FCviolet	85.69	1.97	




Gate	X-A-Mean	HP	X-CV
All	516.55	0.65	
FL1@2.0	516.55	0.65	




Gate	X-A-Mean	HP	X-CV
All	504.89	0.66	
FL2@2.0	504.89	0.66	




Gate	X-A-Mean	HP	X-CV
All	520.34	0.89	
FL3@2.0	520.28	0.89	




Gate	X-A-Mean	HP	X-CV
All	508.95	1.25	
FL4@2.0	508.75	1.25	




Gate	X-A-Mean	HP	X-CV
All	509.53	1.33	
FL5@2.5	509.53	1.33	




Gate	X-A-Mean	HP	X-CV
All	523.99	0.97	
FL6@3.0	525.72	0.97	




Gate	X-A-Mean	HP	X-CV
All	519.52	1.31	
FL7@3.0	521.10	1.31	



Gate	X-A-Mean	HP	X-CV
All	539.60	1.02	
FL8@3.0	541.28	1.02	



Gate	X-A-Mean	HP	X-CV
All	488.90	0.33	
FL9@4.0	497.66	0.33	



Gate	X-A-Mean	HP	X-CV
All	482.75	1.28	
FL10@4.0	491.23	1.28	