




Gate	X-A-Mean	HP	X-CV
All	457.39	1.97	
FCblue@2.0	707.83	0.42	
FCred	231.72	0.74	
FCviolet	85.32	1.97	




Gate	X-A-Mean	HP	X-CV
All	522.08	0.73	
FL1@2.0	522.70	0.73	




Gate	X-A-Mean	HP	X-CV
All	513.50	0.91	
FL2@2.0	514.18	0.91	




Gate	X-A-Mean	HP	X-CV
All	519.92	0.81	
FL3@2.0	520.54	0.81	




Gate	X-A-Mean	HP	X-CV
All	510.43	0.92	
FL4@2.0	510.87	0.92	




Gate	X-A-Mean	HP	X-CV
All	509.93	1.16	
FL5@2.5	510.54	1.16	




Gate	X-A-Mean	HP	X-CV
All	519.78	0.57	
FL6@3.0	524.16	0.57	




Gate	X-A-Mean	HP	X-CV
All	519.18	0.81	
FL7@3.0	524.02	0.81	



Gate	X-A-Mean	HP	X-CV
All	534.54	0.39	
FL8@3.0	539.52	0.39	



Gate	X-A-Mean	HP	X-CV
All	451.53	1.55	
FL9@4.0	460.77	1.55	



Gate	X-A-Mean	HP	X-CV
All	465.57	1.42	
FL10@4.0	475.15	1.42	