



Gate	X-A-Mean	HP	X-CV
All	509.12	0.99	
FL1@2.0	509.86	0.99	


Gate	X-A-Mean	HP	X-CV
All	507.39	0.99	
FL2@2.0	508.12	0.99	

Gate	X-A-Mean	HP	X-CV
All	433.69	0.36	
FCblue@2.0	705.02	0.36	
FCred	232.25	0.92	
FCviolet	85.27	1.48	






Gate	X-A-Mean	HP	X-CV
All	507.34	1.43	
FL3@2.0	508.04	1.43	

Gate	X-A-Mean	HP	X-CV
All	498.31	1.53	
FL4@2.0	498.64	1.53	





Gate	X-A-Mean	HP	X-CV
All	496.99	1.36	
FL5@2.5	497.47	1.36	



Gate	X-A-Mean	HP	X-CV
All	514.64	0.90	
FL6@3.0	520.53	0.90	

Gate	X-A-Mean	HP	X-CV
All	514.04	0.90	
FL7@3.0	519.88	0.90	

Gate	X-A-Mean	HP	X-CV
All	526.61	1.21	
FL8@3.0	532.47	1.21	



Gate	X-A-Mean	HP	X-CV
All	454.38	N/A	
FL9@4.0	489.86	1.72	

Gate	X-A-Mean	HP	X-CV
All	462.72	N/A	
FL10@4.0	498.76	1.20	