




Gate	X-A-Mean	HP	X-CV
All	414.90	2.05	
FCblue@2.0	682.76	0.37	
FCred	224.73	1.33	
FCviolet	82.24	2.05	




Gate	X-A-Mean	HP	X-CV
All	486.82	0.87	
FL1@2.0	486.75	0.87	




Gate	X-A-Mean	HP	X-CV
All	491.08	0.95	
FL2@2.0	491.02	0.95	




Gate	X-A-Mean	HP	X-CV
All	494.61	0.86	
FL3@2.0	494.55	0.86	




Gate	X-A-Mean	HP	X-CV
All	485.76	1.05	
FL4@2.0	485.69	1.05	




Gate	X-A-Mean	HP	X-CV
All	488.29	1.05	
FL5@2.5	488.22	1.05	




Gate	X-A-Mean	HP	X-CV
All	487.74	0.87	
FL6@3.0	491.08	0.87	




Gate	X-A-Mean	HP	X-CV
All	483.64	1.32	
FL7@3.0	486.95	1.32	



Gate	X-A-Mean	HP	X-CV
All	484.14	1.15	
FL8@3.0	487.45	1.15	



Gate	X-A-Mean	HP	X-CV
All	530.41	1.17	
FL9@4.0	532.52	1.17	



Gate	X-A-Mean	HP	X-CV
All	532.93	1.19	
FL10@4.0	534.91	1.19	