



Gate	X-A-Mean	HP	X-CV
All	499.04	0.93	
FL1@2.0	499.10	0.93	


Gate	X-A-Mean	HP	X-CV
All	495.10	1.10	
FL2@2.0	495.16	1.10	

Gate	X-A-Mean	HP	X-CV
All	439.56	0.42	
FCblue@2.0	698.56	0.42	
FCred	230.43	0.92	
FCviolet	84.46	2.00	






Gate	X-A-Mean	HP	X-CV
All	504.24	2.02	
FL3@2.0	504.28	2.02	

Gate	X-A-Mean	HP	X-CV
All	493.64	1.46	
FL4@2.0	493.67	1.46	





Gate	X-A-Mean	HP	X-CV
All	495.06	1.38	
FL5@2.5	495.09	1.38	



Gate	X-A-Mean	HP	X-CV
All	511.00	0.91	
FL6@3.0	515.87	0.91	

Gate	X-A-Mean	HP	X-CV
All	509.68	0.58	
FL7@3.0	514.61	0.58	

Gate	X-A-Mean	HP	X-CV
All	520.77	1.14	
FL8@3.0	525.49	1.14	



Gate	X-A-Mean	HP	X-CV
All	478.30	1.38	
FL9@4.0	486.00	1.38	

Gate	X-A-Mean	HP	X-CV
All	484.32	0.86	
FL10@4.0	492.28	0.86	