



Gate	Number	X-AMean	HP	X-CV
All	4,934	573.07		1.88
FCblue@2.0	2,500	902.52		0.80
FCred	1,157	310.71		1.23
FCviolet	1,001	112.54		1.88


Gate	Number	X-AMean	HP	X-CV
All	2,500	510.40		1.00
FL1@2.0	2,497	510.60		1.00



Gate	Number	X-AMean	HP	X-CV
All	2,500	506.81		1.00
FL2@2.0	2,497	506.96		1.00


Gate	Number	X-AMean	HP	X-CV
All	2,500	501.34		0.94
FL3@2.0	2,499	501.54		0.94

[FCblue@2.0] FL4




Gate	Number	X-AMean	HP	X-CV
All	2,500	490.96		0.96
FL4@2.0	2,490	491.30		0.96

[FCblue@2.0] FL5




Gate	Number	X-AMean	HP	X-CV
All	2,500	504.68		1.27
FL5@2.5	2,499	504.88		1.27

[FCred] FL6




Gate	Number	X-AMean	HP	X-CV
All	1,157	517.37		0.66
FL6@3.0	1,152	518.64		0.66

[FCred] FL7




Gate	Number	X-AMean	HP	X-CV
All	1,157	508.73		0.92
FL7@3.0	1,148	509.82		0.92

[FCred] FL8




Gate	Number	X-AMean	HP	X-CV
All	1,157	495.84		0.95
FL8@3.0	1,151	497.17		0.95

[FCviolet] FL9



Gate	Number	X-AMean	HP	X-CV
All	1,001	526.94		1.28
FL9@4.0	994	530.38		1.28

[FCviolet] FL10



Gate	Number	X-AMean	HP	X-CV
All	1,001	507.53		1.42
FL10@4.0	993	509.82		1.42