




Gate	X-A-Mean	HP	X-CV
All	584.79	1.86	
FCblue@2.0	896.81	1.04	
FCred	307.58	1.39	
FCviolet	112.45	1.86	




Gate	X-A-Mean	HP	X-CV
All	485.96	1.05	
FL1@2.0	486.15	1.05	




Gate	X-A-Mean	HP	X-CV
All	491.06	1.29	
FL2@2.0	491.14	1.29	




Gate	X-A-Mean	HP	X-CV
All	500.52	0.94	
FL3@2.0	500.73	0.94	




Gate	X-A-Mean	HP	X-CV
All	494.52	0.86	
FL4@2.0	494.36	0.86	




Gate	X-A-Mean	HP	X-CV
All	509.44	1.25	
FL5@2.5	509.27	1.25	




Gate	X-A-Mean	HP	X-CV
All	498.48	0.85	
FL6@3.0	500.30	0.85	




Gate	X-A-Mean	HP	X-CV
All	475.69	0.98	
FL7@3.0	477.43	0.98	



Gate	X-A-Mean	HP	X-CV
All	486.54	1.13	
FL8@3.0	488.32	1.13	



Gate	X-A-Mean	HP	X-CV
All	506.18	1.56	
FL9@4.0	514.51	1.56	



Gate	X-A-Mean	HP	X-CV
All	495.56	1.12	
FL10@4.0	497.11	1.12	