




Gate	X-A-Mean	HP	X-CV
All	601.42	1.44	
FCblue@2.0	929.35	0.96	
FCred	319.50	0.80	
FCviolet	117.15	1.44	




Gate	X-A-Mean	HP	X-CV
All	512.17	0.83	
FL1@2.0	512.08	0.83	




Gate	X-A-Mean	HP	X-CV
All	517.67	0.98	
FL2@2.0	517.19	0.98	




Gate	X-A-Mean	HP	X-CV
All	525.12	0.81	
FL3@2.0	524.94	0.81	




Gate	X-A-Mean	HP	X-CV
All	518.97	0.82	
FL4@2.0	518.97	0.82	




Gate	X-A-Mean	HP	X-CV
All	529.82	1.04	
FL5@2.5	529.82	1.04	




Gate	X-A-Mean	HP	X-CV
All	504.57	0.93	
FL6@3.0	507.91	0.93	




Gate	X-A-Mean	HP	X-CV
All	490.50	0.95	
FL7@3.0	493.64	0.95	



Gate	X-A-Mean	HP	X-CV
All	501.73	0.93	
FL8@3.0	505.05	0.93	



Gate	X-A-Mean	HP	X-CV
All	522.46	1.19	
FL9@4.0	535.11	1.19	



Gate	X-A-Mean	HP	X-CV
All	506.49	1.00	
FL10@4.0	509.92	1.00	